

siiora

Preserving Nature's Most Wonderful Creation

Humerus Interlocking Nailing System



www.siiora.com

UHN Unreamed Humeral Nail

UHN Unreamed Humeral Nail - 6.7 Dia.- S.S.

| Cat No. | Length (mm) |
|-----------|-------------|
| UHN.67.19 | 190 |
| UHN.67.20 | 200 |
| UHN.67.21 | 210 |
| UHN.67.22 | 220 |
| UHN.67.23 | 230 |
| UHN.67.24 | 240 |
| UHN.67.25 | 250 |
| UHN.67.26 | 260 |
| UHN.67.27 | 270 |
| UHN.67.28 | 280 |
| UHN.67.29 | 290 |
| UHN.67.30 | 300 |

UHN Unreamed Humeral Nail - 7.5 Dia.- S.S.

| Cat No. | Length (mm) |
|-----------|-------------|
| UHN.75.19 | 190 |
| UHN.75.20 | 200 |
| UHN.75.21 | 210 |
| UHN.75.22 | 220 |
| UHN.75.23 | 230 |
| UHN.75.24 | 240 |
| UHN.75.25 | 250 |
| UHN.75.26 | 260 |
| UHN.75.27 | 270 |
| UHN.75.28 | 280 |
| UHN.75.29 | 290 |
| UHN.75.30 | 300 |
| UHN.75.31 | 310 |
| UHN.75.32 | 320 |



UHN Unreamed Humeral Nail

UHN Unreamed Cannulated Humeral Nail-
6,7 Dia.- S.S.

| Cat No. | Length (mm) |
|-----------|-------------|
| UHN.77.19 | 190 |
| UHN.77.20 | 200 |
| UHN.77.21 | 210 |
| UHN.77.22 | 220 |
| UHN.77.23 | 230 |
| UHN.77.24 | 240 |
| UHN.77.25 | 250 |
| UHN.77.26 | 260 |
| UHN.77.27 | 270 |
| UHN.77.28 | 280 |
| UHN.77.29 | 290 |
| UHN.77.30 | 300 |

UHN Unreamed Cannulated Humeral Nail-
7.5 Dia.- S.S.


| Cat No. | Length (mm) |
|-----------|-------------|
| UHN.85.19 | 190 |
| UHN.85.20 | 200 |
| UHN.85.21 | 210 |
| UHN.85.22 | 220 |
| UHN.85.23 | 230 |
| UHN.85.24 | 240 |
| UHN.85.25 | 250 |
| UHN.85.26 | 260 |
| UHN.85.27 | 270 |
| UHN.85.28 | 280 |
| UHN.85.29 | 290 |
| UHN.85.30 | 300 |
| UHN.85.31 | 310 |
| UHN.85.32 | 320 |



Locking Bolt & End Cap


Locking Bolt 3.4mm Self Tapping -
S.S & Titanium.

| Cat No. Stainless Steel | Cat No. Titanium | Length (mm) |
|----------------------------|---------------------|-------------|
| 043.020 | Ti.043.020 | 20 |
| 043.022 | Ti.043.022 | 22 |
| 043.024 | Ti.043.024 | 24 |
| 043.026 | Ti.043.026 | 26 |
| 043.028 | Ti.043.028 | 28 |
| 043.030 | Ti.043.030 | 30 |
| 043.032 | Ti.043.032 | 32 |
| 043.034 | Ti.043.034 | 34 |
| 043.036 | Ti.043.036 | 36 |
| 043.038 | Ti.043.038 | 38 |
| 043.040 | Ti.043.040 | 40 |
| 043.042 | Ti.043.042 | 42 |
| 043.044 | Ti.043.044 | 44 |
| 043.046 | Ti.043.046 | 46 |
| 043.048 | Ti.043.048 | 48 |
| 043.050 | Ti.043.050 | 50 |
| 043.052 | Ti.043.052 | 52 |
| 043.054 | Ti.043.054 | 54 |
| 043.056 | Ti.043.056 | 56 |
| 043.058 | Ti.043.058 | 58 |
| 043.060 | Ti.043.060 | 60 |



End Caps for Unreamed Humeral Nail - S.S.
& Titanium

| Cat No. Stainless Steel | Outer Diameter | Extension |
|----------------------------|----------------|-----------|
| 044.100 | 5.5mm | 0mm |
| 044.105 | 8.0mm | 5mm |
| 044.110 | 8.0mm | 10mm |
| 044.115 | 8.0mm | 15mm |
| Cat No. Titanium | Outer Diameter | Extension |
| Ti.044.100 | 5.5mm | 0mm |
| Ti.044.105 | 8.0mm | 5mm |
| Ti.044.110 | 8.0mm | 10mm |
| Ti.044.115 | 8.0mm | 15mm |




Locking Bolt Set

3.4mm Locking Bolt Set
(Locking Bolts Included)

| Cat No. IS.032 | Description | Units |
|-------------------|--|-------|
| 043.020 | Length 20mm | 2 |
| 043.022 | Length 22mm | 2 |
| 043.024 | Length 24mm | 2 |
| 043.026 | Length 26mm | 4 |
| 043.028 | Length 28mm | 4 |
| 043.030 | Length 30mm | 4 |
| 043.032 | Length 32mm | 4 |
| 043.034 | Length 34mm | 4 |
| 043.036 | Length 36mm | 4 |
| 043.038 | Length 38mm | 3 |
| 043.040 | Length 40mm | 3 |
| 043.042 | Length 42mm | 3 |
| 043.044 | Length 44mm | 3 |
| 043.046 | Length 46mm | 3 |
| 043.048 | Length 48mm | 3 |
| 043.050 | Length 50mm | 2 |
| 043.052 | Length 52mm | 2 |
| 043.054 | Length 54mm | 2 |
| 043.056 | Length 56mm | 2 |
| 043.058 | Length 58mm | 2 |
| 043.060 | Length 60mm | 2 |
| 400.032 | Screw Box for 3.4mm Interlocking Bolts with Screw Tray & Screw Holding Forceps | 1 |

400.032 Screw Box for 3.4mm Interlocking Bolts
with Screw Tray & Screw Holding Forceps
(without Locking Bolts)



UHN Unreamed Humeral Nail

UHN Unreamed Humeral Nail - Titanium

| Dia. 6mm | |
|--------------|-------------|
| Cat No. | Length (mm) |
| Ti.UHN.60.19 | 190 |
| Ti.UHN.60.20 | 200 |
| Ti.UHN.60.21 | 210 |
| Ti.UHN.60.22 | 220 |
| Ti.UHN.60.23 | 230 |
| Ti.UHN.60.24 | 240 |
| Ti.UHN.60.25 | 250 |
| Ti.UHN.60.26 | 260 |
| Ti.UHN.60.27 | 270 |
| Ti.UHN.60.28 | 280 |
| Ti.UHN.60.29 | 290 |
| Ti.UHN.60.30 | 300 |

| Dia. 6.7mm | |
|--------------|-----|
| Ti.UHN.67.19 | 190 |
| Ti.UHN.67.20 | 200 |
| Ti.UHN.67.21 | 210 |
| Ti.UHN.67.22 | 220 |
| Ti.UHN.67.23 | 230 |
| Ti.UHN.67.24 | 240 |
| Ti.UHN.67.25 | 250 |
| Ti.UHN.67.26 | 260 |
| Ti.UHN.67.27 | 270 |
| Ti.UHN.67.28 | 280 |
| Ti.UHN.67.29 | 290 |
| Ti.UHN.67.30 | 300 |

| Dia. 7.5mm | |
|--------------|-----|
| Ti.UHN.75.19 | 190 |
| Ti.UHN.75.20 | 200 |
| Ti.UHN.75.21 | 210 |
| Ti.UHN.75.22 | 220 |
| Ti.UHN.75.23 | 230 |
| Ti.UHN.75.24 | 240 |
| Ti.UHN.75.25 | 250 |
| Ti.UHN.75.26 | 260 |
| Ti.UHN.75.27 | 270 |
| Ti.UHN.75.28 | 280 |
| Ti.UHN.75.29 | 290 |
| Ti.UHN.75.30 | 300 |



UHN Unreamed Humeral Nail

UHN Unreamed Cannulated Humeral Nail-
6,7 Dia.- Titanium

| Cat No. | Length (mm) |
|--------------|-------------|
| Ti.UHN.77.19 | 190 |
| Ti.UHN.77.20 | 200 |
| Ti.UHN.77.21 | 210 |
| Ti.UHN.77.22 | 220 |
| Ti.UHN.77.23 | 230 |
| Ti.UHN.77.24 | 240 |
| Ti.UHN.77.25 | 250 |
| Ti.UHN.77.26 | 260 |
| Ti.UHN.77.27 | 270 |
| Ti.UHN.77.28 | 280 |
| Ti.UHN.77.29 | 290 |
| Ti.UHN.77.30 | 300 |

UHN Unreamed Cannulated Humeral Nail-
7.5 Dia.- Titanium

| Cat No. | Length (mm) |
|--------------|-------------|
| Ti.UHN.85.19 | 190 |
| Ti.UHN.85.20 | 200 |
| Ti.UHN.85.21 | 210 |
| Ti.UHN.85.22 | 220 |
| Ti.UHN.85.23 | 230 |
| Ti.UHN.85.24 | 240 |
| Ti.UHN.85.25 | 250 |
| Ti.UHN.85.26 | 260 |
| Ti.UHN.85.27 | 270 |
| Ti.UHN.85.28 | 280 |
| Ti.UHN.85.29 | 290 |
| Ti.UHN.85.30 | 300 |
| Ti.UHN.85.31 | 310 |
| Ti.UHN.85.32 | 320 |



Flexible Reamer Fixed Head

XP.712.260 Flexible Reamer Shaft Fixed Head 6.0mm Dia -
S.S. (17-4-PH)

XP.712.265 Flexible Reamer Shaft Fixed Head 6.5mm Dia -
S.S. (17-4-PH)

XP.712.270 Flexible Reamer Shaft Fixed Head 7.0mm Dia -
S.S. (17-4-PH)

XP.712.275 Flexible Reamer Shaft Fixed Head 7.5mm Dia -
S.S. (17-4-PH)



Flexible Reamer

UHN Instruments

720.001 Proximal Zig



720.002 Connecting Screw for UHN



720.003 Kirschner Wire with Trocar 2.5mm Dia.
300mm Length



720.004 Projectile Reamer



720.005 Awl with T- Handle, Cannulated



720.006 Impactor / Extractor for UTN & UHN



720.007 Slotted Hammer



720.009 Protection Sleeve 11.0/8.0mm Dia. with
Inner Thread



UHN Instruments

720.010 Drill Sleeve 8.0/2.7mm Dia with Threaded Head



720.011 Trocar 8.0mm Dia, with Tip Dia 3.5mm x 20mm Length (for UHN Nail)



720.015 Coupling Block for UHN Extraction



210.033 Spanner - 11mm



260.275 Drill Bit - S.S. Quick Coupling End 2.7mm x 200mm



301.051 Extra Long Screw Driver 3.5mm Tip



303.030 UHN Depth Gauge



400.005 Instruments Box with Two Trays Length 300mm



Additional Instruments for Cannulated Humeral Nail

720.013 Compression Device for UHN



720.014 Compression Connection Screw



720.023 Connecting Screw for UHN Cannulated- S.S



720.017 Hex Nut for Connecting Screw for UHN



720.018 Guide Wire 1.8mm Dia , 650mm Length



720.020 Distal Locking Device (L - Shape)



721.005 Spanner Stainless Steel 17mm



713.005 Cannulated Hammer Guide for UHN Conical Bolt



UHN Instruments

713.008 Detachable Slide Hammer 400 gms.



306.010 Quick Coupling Handle T - Type





400.080 Graphic Aluminum Box for UHN Instruments
Set with Two Tray & One 3.4mm Bolt Tray Fixed



UHN Screw Box

| Cat No. IS,040 | Instruments Set For UHN Humeral Locking Nails | Units |
|-------------------|---|-------|
| 720.001 | Proximal Zig | 1 |
| 720.002 | Connecting Screw for UHN | 1 |
| 720.003 | Kirschner wire with Trocar Tip 2.5mm Dia, 300mm Length | 2 |
| 720.004 | Projectile Reamer | 1 |
| 720.005 | Awl with T - Handle, Cannulated | 1 |
| 720.006 | Impactor / Extractor for UTN & UHN | 1 |
| 720.007 | Slotted Hammer | 1 |
| 720.009 | Protection Sleeve 11.0/8.0mm Dia. with inner Thread | 2 |
| 720.010 | Drill Sleeve 8.0/2.7mm Dia. with Threaded Head | 1 |
| 720.011 | Trocar 8.0mm Dia. with Tip Dia 3.5mm x 20mm Length (for UHN Nail) | 2 |
| 720.015 | Coupling Block for UHN Extraction | 1 |
| 210.033 | Spanner 11mm | 1 |
| 301.051 | Extra Long Screw Driver 3.5mm Tip | 1 |
| 260.275 | Drill Bit - S.S, Q.C. End 2.7mm, Length 200mm | 1 |
| 303.030 | UHN Depth Gauge | 1 |
| 306.010 | Quick Coupling Handle T - Type | 1 |
| 400.005 | Instruments Box with Two Trays 300mm Long | 1 |

400.080 Graphic Aluminium Box for UHN Instrument Set with Two Tray



UHN Instrument Set

| Cat No. IS.059 | Description | Units |
|-------------------|---|-------|
| 720.001 | Proximal Zig | 1 |
| 720.003 | Kirschner Wire with Trocar Tip 2.5mm Dia., 300mm Length | 2 |
| 720.004 | Projectile Reamer | 1 |
| 720.005 | Awl with T - Handle, Cannulated | 1 |
| 720.009 | Protection Sleeve 11.0 / 8.0mm Dia. with Inner thread | 2 |
| 720.010 | Drill Sleeve 8.0/2.7mm Dia. with Threaded Head | 2 |
| 720.011 | Trocar 8.0mm with Tip Dia 3.5mm x 20mm Length (for UHN Nail) | 2 |
| 720.013 | Compression Device for UHN | 1 |
| 720.014 | Compression Connection Screw | 1 |
| 720.015 | Coupling Block for UHN Extraction | 1 |
| 720.017 | Hex Nut for Connecting Screw for UHN | 1 |
| 720.018 | Guide wire 1.8mm Dia. x 650mm Length | 1 |
| 720.020 | Distal Locking Device (L- Shape) | 1 |
| 720.023 | Connecting Screw for UHN Cannulated - Stainless Steel | 1 |
| 721.005 | Spanner Stainless Steel - 17mm | 1 |
| 713.005 | Cannulated Hammer Guide for UHN Conical Bolt | 1 |
| 713.008 | Detachable Slide Hammer 400 gms. | 1 |
| XP712.260 | Flexible Reamer Shaft Fixed Head 6.0mm Dia.- S.S. 17-4-PH | 1 |
| XP712.265 | Flexible Reamer Shaft Fixed Head 6.5mm Dia.- S.S. 17-4-PH | 1 |
| XP712.270 | Flexible Reamer Shaft Fixed Head 7.0mm Dia.- S.S. 17-4-PH | 1 |
| XP712.275 | Flexible Reamer Shaft Fixed Head 7.5mm Dia.- S.S. 17-4-PH | 1 |
| 306.010 | Quick Coupling Handle T-Type | 1 |
| 303.030 | UHN Depth Gauge | 1 |
| 301.051 | Extra Long Screw Driver 3.5mm Tip | 1 |
| 260.275 | Drill Bit - S.S. - Quick Coupling End Dia. 2.7mm X 200mm Long | 1 |
| 210.033 | Spanner - 11mm | 1 |
| 400.080 | Graphic Aluminium Box for UHN Instrument Set with two Tray and One 3.4mm Bolt Tray Fixed | 1 |



Siora Surgicals Private Limited

Manufacturer of:
Trauma & Spine Implants



Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura
Delhi - 110035, INDIA



Office Land line:

+91 11 28316116 , 17, 18



Manufacturing Unit:

1792, HSIIIDC Indl. Estate
RAI District, Sonapat
Haryana- 131029, INDIA



www.siora.com



impex@siora.net



exports@siora.net